DRAFT REPORT

Copy No. 1/2

Study Title

Evaluation of moisturizing effect of test substance by *Elastin* gene expression modulation in Human Dermal Fibroblast (HDF) cell line

Study Director:

Dr. Ashok G

Test Facility Radiant Research Services Pvt. Ltd 99/A, 8 main, III Phase, Peenya Industrial Area Bangalore – 560 058 Ph: +91-80-64516699, +91-99640 27999

 ${\bf Email: info} @ radiant research. in www.radiant research. in \\$



COM	PLIANCE STATEMENT	.3
CERT	IFICATE OF AFFIRMATION AND CONFIDENTIALITY	.4
DECL	ARATION	.5
ABBR	EVIATION USED	.6
LIST (OF TABLES AND FIGURES	.7
1.	STUDY DETAILS	.8
2.	OBJECTIVE	.9
3.	SUMMARY	.9
4.	GUIDELINES/REFERENCE	.9
5.	AMENDMENT AND DEVIATION PROCEDURE	.9
6.	MATERIALS	10
6.1 .	Test substance information	10
6.2.	Reference Material/Chemicals	10
6.3.	Equipments	11
6.3. 7.	Equipments	11 11
6.3.7.7.1	Equipments METHOD OUTLINE OF THE METHOD	11 11 11
6.3.7.7.17.2	Equipments METHOD OUTLINE OF THE METHOD CELL LINE AND CULTURE MEDIUM	11 11 11
 6.3. 7. 7.1 7.2 7.3 	Equipments METHOD OUTLINE OF THE METHOD CELL LINE AND CULTURE MEDIUM RNA ISOLATION AND CDNA SYNTHESIS	111111111112
 6.3. 7. 7.1 7.2 7.3 7.4 	Equipments METHOD OUTLINE OF THE METHOD CELL LINE AND CULTURE MEDIUM RNA ISOLATION AND CDNA SYNTHESIS RT-PCR PROCEDURE	 11 11 11 11 11 12 112
 6.3. 7. 7.1 7.2 7.3 7.4 7.5 	EquipmentsMETHODOUTLINE OF THE METHODCELL LINE AND CULTURE MEDIUMRNA ISOLATION AND CDNA SYNTHESISRT-PCR PROCEDUREAMPLIFICATION CONDITIONS FOR ELASTIN GENE	 11 11 11 11 12 12 13
 6.3. 7. 7.1 7.2 7.3 7.4 7.5 8. 	EquipmentsMETHODOUTLINE OF THE METHODCELL LINE AND CULTURE MEDIUMRNA ISOLATION AND CDNA SYNTHESISRT-PCR PROCEDUREAMPLIFICATION CONDITIONS FOR ELASTIN GENEOBSERVATION/PARAMETERS FOR EVALUATION	 111 111 111 112 112 113 113
 6.3. 7. 7.1 7.2 7.3 7.4 7.5 8. 9. 	EquipmentsMETHODOUTLINE OF THE METHODCELL LINE AND CULTURE MEDIUMRNA ISOLATION AND CDNA SYNTHESISRT-PCR PROCEDUREAMPLIFICATION CONDITIONS FOR ELASTIN GENEOBSERVATION/PARAMETERS FOR EVALUATIONRESULTS	 11 11 11 11 112 112 112 113 113 113
 6.3. 7. 7.1 7.2 7.3 7.4 7.5 8. 9. 10. 	EquipmentsMETHODOUTLINE OF THE METHODCELL LINE AND CULTURE MEDIUMRNA ISOLATION AND CDNA SYNTHESISRT-PCR PROCEDUREAMPLIFICATION CONDITIONS FOR ELASTIN GENEOBSERVATION/PARAMETERS FOR EVALUATIONRESULTSDISCUSSION AND CONCLUSION	 11 11 11 11 11 12 12 13 13 13 13
 6.3. 7. 7.1 7.2 7.3 7.4 7.5 8. 9. 10. 11. 	EquipmentsMETHODOUTLINE OF THE METHODCELL LINE AND CULTURE MEDIUMRNA ISOLATION AND CDNA SYNTHESISRT-PCR PROCEDUREAMPLIFICATION CONDITIONS FOR ELASTIN GENEOBSERVATION/PARAMETERS FOR EVALUATIONRESULTSDISCUSSION AND CONCLUSIONARCHIVING	 11 11 11 11 12 12 13 13 13 13 14



COMPLIANCE STATEMENT

The Study Director hereby declares that the work was performed under his supervision and in accordance with the mutually agreed study plan and the in house procedures. It is assured that the reported results represent the raw data obtained during the experimental work. No circumstances have been left unreported which may have affected the quality or integrity of the data or which might have a potential bearing on the validity and reproducibility of this study. The Study Director accepts overall responsibility for the technical conduct of the study as well as the interpretation, documentation and reporting of the results.

Date: 11/11/2022

Study Director Dr. Ashok G



CERTIFICATE OF AFFIRMATION AND CONFIDENTIALITY

The Management hereby attests to the originality, accuracy and authenticity of the study to the best of their knowledge. This report contains confidential and proprietary information of **M/s. Tocyen Beauty Cream, Mumbai, India**.,which will not be disclosed to anyone without the expressed or written approval of authorized personnel.

Date: 11/11/2022

Management Dr.Ashok G C.E.O

STUDY NO: RR222098/MB/GE/09-22



DECLARATION

The Study No. RR222098/MB/GE/09-22, entitled "**Evaluation of moisturizing effect of test substance by Elastin gene expression in Human Dermal Fibroblast (HDF) cell line**" has been inspected regularly according to the Standard Operating Procedure of the test facility's Quality Assurance Unit. The report was audited against approved study plan and pertinent raw data and accurately reflects the raw data.

Date: 11/11/2022

QA, Head Gopi M



ABBREVIATION USED

MCR	: Microbiology	%	: Percentage
CB	: Cell Biology	gm	: Gram
MB	: Molecular Biology	hr	: Hour
BC	: Biochemistry	mg	<u>.</u> Milli gram
DTL	: Drug Testing Laboratory	mL	Millilitre
PC	: Preclinical	nm	Nano meter
CL	: Clinical	μL	: Micro litre
PBS	: Phosphate buffer saline	μg	: Micro gram
°C	: Degree Centigrade		
EDTA	: Ethylenediaminetetraacetic acid		
RT-PCR	: Reverse transcription-polymerase chain reaction		
dNTP	: Deoxynucleotide		

DR	RADIANT	
Department : Molecular Biology	STUDY NO: RR222098/MB/GE/09-22	RESEARCH

LIST OF TABLES AND FIGURES

Figure no.	Details	Page no.
1.	The Quantitative gene expression level of Elastin in Human Dermal Fibroblast (HDF) cell line normalized to GAPDH.	13

Table no.	Details	Page no
1.	The Quantitative gene expression level of Elastin normalized to GAPDH.	13

DRAFT REPORT					
Department : Molecular Biology		STUDY NO: RR2	22098	3/MB/GE/09-22	R E S E A R C H
1.	STUDY DETA	AILS			
1.1	Study title		:	Evaluation of moist	urizing effect of test
				substance by Elastin	<i>i</i> gene expression
				modulation in Huma	an Dermal Fibroblast (HDF)
				cell line	
1.2	Study number		:	RR222098/MB/GE/	09-22
1.3	Test Substance		:	Tocyen Beauty Crea	am
1.4	1.4 Test Facility		:	Radiant Research S	ervices Pvt. Ltd
				No: 99/A, 8th Main,	3 rd Phase,
				Peenya industrial ar	ea,
				Bangalore-560 058	
1.5	1.5 Sponsor			M/s.Tocyen Beauty	Cream,
				Mumbai, India.,	
1.6	Test schedule				
	Study Initiation	Date	:	26/09/2022	
	Experimental St	art Date	:	03/10/2022	
	Experimental Co	ompletion Date	:	26/11/2022	
	Study Completion	on Date	:	11/11/2022	
1.7	Study Responsit	oilities			
	Study Director		:	Dr. Ashok G	
	Study coordinate	or	:	Mr. Gnanesh Rao	

2. OBJECTIVE

The purpose of this study is to evaluate test substance for its moisturizing effect in Human Dermal Fibroblast (HDF) cell line.

3. SUMMARY

The test substance was evaluated for its *in vitro* potency to induce Elastin gene expression in Human Dermal Fibroblast (HDF) cell line, the test substance was first evaluated for its cytotoxicity with different concentrations from $1000 - 7.8 \mu g/mL$. The test product, Tocyen beauty cream (RR222098) exhibited a CTC₅₀ value of above 1000 $\mu g/mL$ on the Human Dermal Fibroblast (HDF) cell line respectively. Hence non-toxic concentrations were taken for gene expression studies. In the gene expression study, the test substance at tested concentrations showed moderate increase in the level of Elastin gene expression as compared to the untreated control in the semi-quantitative RT-PCR procedure.

4. GUIDELINES/REFERENCE

- Schrader A, Siefken W, Kueper T, Breitenbach U, Gatermann C, Sperling G, Biernoth T, Scherner C, Stäb F, Wenck H, Wittern K, -P, Blatt T: Effects of Glyceryl Glucoside on AQP3 Expression, Barrier Function and Hydration of Human Skin. Skin Pharmacol Physiol 2012;25:192-199.
- R. D. Barber, D. W. Harmer, R. A. Coleman, B. J. Clark, GAPDH as a housekeeping gene: analysis of GAPDH mRNA expression in a panel of 72 human tissues. Physiological genomics 2005, 21 (3), S. 389–395.

5. AMENDMENT AND DEVIATION PROCEDURE

No deviation has been adapted during the conduct of the experiment.



6. MATERIALS

6.1. Test substance information

Test Substance	Common name	Name used in the report	Batch number	Physical appearance	Storage condition
RR22098	Tocyen beauty cream	RR222098 / Tocyen beauty cream	CG6122	Semi-solid	RT

6.2. Reference Material/Chemicals

Chemical	Batch / Lot No.	Manufacturer	Expiry Date
	0000454015		0 / 0004
MTT	0000454015	HiMedia, India.	Oct-2024
Fetal Bovine serum	4222743	Gibco, USA.	Sep-2026
DPBS	0000474192	HiMedia, India.	Mar-2024
DMEM-HG	2365585	Gibco, USA.	Feb-2024
Antibiotics	0000493509	HiMedia, India.	Aug-2023
DMSO	2122353	SRL, India.	Feb-2026
RNA Isoplus	ALZ1011N	Takara, India.	Dec-2023
IPA	DL0F702845	Merck, India.	-
Reverse Transcriptase	64453798	Bio-Rad	June-2023



6.3. Equipments

S. No.	Name of the Instrument	Make
1.	Biosafety Cabinet	Ascesension
2.	CO ₂ Incubator	NUAIRE
3.	Inverted tissue culture microscope	Motic China
4.	-20°C Deep Freezer	Vestfrost
5.	Thermal Cycler	Bio-Rad USA
6.	Gel Electrophoresis Unit	Chromous Biotech India
7.	Gel Documentation System	Syngene Ingenius

7. METHOD

7.1 Outline of the method

The effect of test substance on moisturizing effect by modulation of Elastin was estimated by gene expression method, where the level of the expression of Elastin in Human Dermal Fibroblast (HDF) cell line was determined with respect to untreated Human Dermal Fibroblast (HDF) cells.

7.2 Cell line and Culture medium

Human Dermal Fibroblast (HDF) cell line was procured from AddexBio, U.S. Stock cells was cultured in DMEM-HG supplemented with 10% inactivated Fetal Bovine Serum (FBS), penicillin (100 IU/mL), streptomycin (100 μ g/ml) and amphotericin B (5 μ g/mL) in an humidified atmosphere of 5% CO₂ at 37°C until confluent. The cells were dissociated with



TPVG solution (0.2% trypsin, 0.02% EDTA, 0.05% glucose in PBS). The stock cultures were grown in 25 cm² culture flasks and all experiments was carried out in 96 microtitre plates (Tarsons India Pvt. Ltd., Kolkata, India).

7.3 RNA isolation and cDNA synthesis

The Human Dermal Fibroblast (HDF) cell line was treated with test substance was subjected to cell lysis by treating with Tri-extract reagent. Chloroform was added, to isolate the total RNA from the sample and subjected for centrifugation. Out of the three distinct layers observed, upper layer was collected in fresh tube and equal volume of isopropanol was added and incubated at -20^oC for 10mins. After the incubation followed by centrifugation, appropriate volume of ethanol was added to resuspend the pellet. After incubation and centrifugation, the pellet was air dried and appropriate volume of TAE buffer was added. The isolated total RNA was further used for cDNA synthesis. cDNA was synthesized by priming with oligo dT primers followed by reverse transcriptase enzyme treatment according to manufacturer's protocol (Bio-Rad). The cDNA thus synthesized was taken up for PCR for the amplification of Elastin and GAPDH (internal control).

7.4 RT-PCR Procedure

The mRNA expression levels of Elastin were determined using semi-quantitative reverse transcriptase-polymerase chain reaction (RT-PCR). 50μ L of the reaction mixture was subjected to PCR for amplification of Elastin. cDNA using specifically designed primers procured from Eurofins, India and as an internal control GAPDH (Housekeeping gene) was co-amplified with each reaction.



7.5 Amplification conditions for Elastin gene

Elastin: 95°C for 5 min followed by 35 cycles of denaturation at 95°C for 30 seconds, annealing Tm for 30 seconds and extension at 72°C for 45 seconds. This was followed by final extension at 72°C for 10 min.

8. OBSERVATION/PARAMETERS FOR EVALUATION



Fig 1: Effect of the Test Substance on Elastin transcripts in HDF Lane 1: Untreated Control, Lane 2: Test substance Green Tocyen beauty cream (RR222098) at 500 μ g/mL, Lane 3: Test substance Tocyen beauty cream (RR222098) at 1000 μ g/mL.

9. **RESULTS**

Table 1: The Quantitative gene expression level of Elastin normalized to GAPDH.

Toot Samula	Regulation in Terms of Folds	
rest Sample	Elastin	
Cell Control (Untreated)	1.00	
Tocyen beauty cream, RR222098 (500 μg/mL)	1.02	
Tocyen beauty cream, RR222098 (1000 μg/mL)	1.08	

10. DISCUSSION AND CONCLUSION

Test Substance was tested for *in vitro* cytotoxicity studies against Human Dermal Fibroblast

(HDF) cell line by MTT assay exposing the cells to different concentration of test substance.



Reverse Transcriptase-PCR experiment was performed by using Elastin specific primers. Semi-Quantitative RT-PCR analysis revealed that Elastin mRNA was increased moderately in a dose dependent manner over the control value.

The results indicate that test substance Tocyen beauty cream (RR222098) have the potency of increasing the Elastin levels in Human Dermal Fibroblast (HDF) cell line when treated at non-toxic concentration.

11. ARCHIVING

- Test Samples will be stored for 3 months after the final report submission.
- Raw data, documents report will be archived for 3 years.

12. REPORT DISTRIBUTION

- Sponsor: One signed final report (Copy no. 1/2) in original.
- Archives: One signed final report (Copy no. 2/2) in original along with raw data file.

*****End of the report*****